

BROILER FEEDING GUIDE



BROILER STARTER

	<i>per broiler</i>
WEEK 1	0.55 <i>lbs</i>
WEEK 2	1.00 <i>lbs</i>
WEEK 3	1.45 <i>lbs</i>

EST. **3.00** *lbs each*

BROILER GROWER

	<i>per broiler</i>
WEEK 4	2.27 <i>lbs</i>
WEEK 5	2.80 <i>lbs</i>
WEEK 6	3.24 <i>lbs</i>
WEEK 7 <i>(optional)</i>	3.49 <i>lbs</i>
WEEK 8 <i>(optional)</i>	3.59 <i>lbs</i>
WEEK 9 <i>(optional)</i>	3.61 <i>lbs</i>

EST. **19.00** *lbs each*

These estimates are based on test flocks raised on pasture for a full nine weeks under normal conditions. Results vary greatly, impacted by the quality of living conditions, including weather, stress, and management. Adequate access to clean water should be provided at all times. Always ensure the availability and accessibility of feed. A day without feed will result in weight loss, inhibit growth, and increase aggression; please plan your feed purchases accordingly.

For any additional information, please contact: mill@coyotecreekfarm.org



EST. FINISH WEIGHT *Approx.* **8–10** *lbs*
 DRESS WEIGHT *Approx.* **70%** *(of Finish Weight)*



COYOTE CREEK FARM